Mega Resonance Labs Fast Reliable Services **NR**

NuMega Reference #

2400BROM.573H

12 DE

11526 Sorrento Valley Road, Suite B-2 🔶 San Diego, CA 92121 🔶 USA Phone 858-793-6057 Fax 858-793-2607

February 1, 2024

Bromantane, LLC PO Box 17063 Sarasota, FL bromantanespray@protonmail.com

Sample ID	Iysis Report 0 and AV-500 Tetramethoxy Luteolin
Standard	Ethylene Carbonate
Weight of Standard (wt _{st}) Weight of Sample (wt_)	1.199
Weight of Sample (wt _{sa})	8.348
Assumed Sample Molecular Weight (MW _{sa})	342.34
Standard Molecular Weight (MW _{st})	88.06
Integration of Sample (I _{sa})	44.61
Integration of Standard (I _{st})	100
# of Equivalent Nuclei in Standard (n _{st})	4.7-
# of Equivalent Nuclei in Sample (n _{sa})	1
Assigned Purity of Standard % (P)	99.94
Purity %	99.6%
Formula Used for Calculation: $WT\% = \frac{wt_{st}}{wt_{sa}} \times$	$\frac{MW_{sa}}{MW_{st}} \times \frac{I_{sa}}{I_{st}} \times \frac{n_{st}}{n_{sa}} \times P$